

Operation Manual

PRODUCT NAME

Line filter Mist Separator Micro Mist Separator

MODEL / Series / Product Number

 $AFF20 - (F, N) 01 \sim (F, N) 02 (B, C) (-2, 6, C, J, L, M, MM, R, Z) - D \\ AFF30 - (F, N) 02 \sim (F, N) 03 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AFF40 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 01 \sim (F, N) 02 (B, C) (-2, 6, C, J, L, M, MM, R, Z) - D \\ AM30 - (F, N) 02 \sim (F, N) 03 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM40 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 01 \sim (F, N) 02 (B, C) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 03 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 03 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R, W, Z) - D \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R) \\ AM20 - (F, N) 02 \sim (F, N) 04 (B, C, D) (-2, 6, 8, J, L, M, MM, R) \\ AM20 - (F, N) 02 \sim (F, N) 04 (F, N) \\ AM20 - (F, N) 02 \sim (F, N) 04 (F, N) \\ AM20 - (F, N) 02 \sim (F, N) 04 (F, N) \\ AM20 - (F,$

SMC Corporation

Contents

| | | Page |
|-------------------------------|-----------------------------|----------|
| 1. Safety Instructions | | 2 to 7 |
| | | |
| 2. Application | | 8 |
| | | |
| 3. Standard specifications | | 8 to 10 |
| | | |
| 4. How to order | | 11 |
| | | |
| 5. Construction / Options / F | Replacement parts | 12 |
| | | |
| 6. Bowl assembly specificat | ions | 13 to 20 |
| 6-1. Bowl assembly / auto | drain for AFF,AM,AMD20 | 13 |
| 6-2. Bowl assembly / auto | drain for AFF,AM,AMD30 | 15 |
| 6-3. Bowl assembly / auto | drain for AFF,AM,AMD40 | 18 |
| | | |
| 7. Assembly of Optional par | ts | 21 |
| | | |
| 8. Auto Switch Specification | s | 22 |
| | | |
| 9. Operation and Adjustmer | t | 23 to 24 |
| | | |
| 10. Troubleshooting | | 25 |
| | | |
| 11. Replacement work proce | edure | 26 to 32 |
| 1) Element assembly | (AFF,AM,AMD20) | 26 to 27 |
| 2) Bowl assembly | (AFF,AM,AMD20) | 28 |
| 1) Element assembly | (AFF,AM,AMD30/AFF,AM,AMD40) | 29 to 30 |
| 2) Bowl assembly | (AFF,AM,AMD30/AFF,AM,AMD40) | 31 to 32 |
| | | |
| 12. Disassembly Drawing | | 33 |
| | | |
| 13. Dimensions | | 34 |



Danger

Varning

Line filter Mist Separator Micro Mist Separator **Safety Instructions**

These safety instructions are intended to prevent hazardous situations and/or equipment damage. These instructions indicate the level of potential hazard with the labels of **"Caution," "Warning"** or **"Danger."** They are all important notes for safety and must be followed in addition to International Standards (ISO/IEC)^{*}, and other safety regulations.

*1) ISO 4414: Pneumatic fluid power - General rules and safety requirements for systems and their components ISO 4413: Hydraulic fluid power - General rules and safety requirements for systems and their components IEC 60204-1: Safety of machinery - Electrical equipment of machines - Part 1: General requirements ISO 10218-1: Robots and robotic devices - Safety requirements for industrial robots - Part 1:Robots etc.

Danger indicates a hazard with a high level of risk which, if not avoided, will result in death or serious injury.

Warning indicates a hazard with a medium level of risk which, if not avoided, could result in death or serious injury.

Caution indicates a hazard with a low level of risk which, if not avoided, could result in minor or moderate injury.

Warning

1. The compatibility of the product is the responsibility of the person who designs the equipment or decides its specifications.

Since the product specified here is used under various operating conditions, its compatibility with specific equipment must be decided by the person who designs the equipment or decides its specifications based on necessary analysis and test results. The expected performance and safety assurance of the equipment will be the responsibility of the person who has determined its compatibility with the product. This person should also continuously review all specifications of the product referring to its latest catalog information, with a view to giving due consideration to any possibility of equipment failure when configuring the equipment.

2. Only personnel with appropriate training should operate machinery and equipment. The product specified here may become unsafe if handled incorrectly. The assembly, operation and maintenance of machines or equipment including our products must be performed by an operator who is appropriately trained and experienced.

3. Do not service or attempt to remove product and machinery/equipment until safety is confirmed.

- 1. The inspection and maintenance of machinery/equipment should only be performed after measures to prevent falling or runaway of the driven objects have been confirmed.
- 2. When the product is to be removed, confirm that the safety measures as mentioned above are implemented and the power from any appropriate source is cut, and read and understand the specific product precautions of all relevant products carefully.
- 3. Before machinery/equipment is restarted, take measures to prevent unexpected operation and malfunction.
- 4. Our products cannot be used beyond their specifications. Our products are not developed, designed, and manufactured to be used under the following conditions or environments. Use under such conditions or environments is not covered.
 - 1. Conditions and environments outside of the given specifications, or use outdoors or in a place exposed to direct sunlight.
 - 2. Use for nuclear power, railways, aviation, space equipment, ships, vehicles, military application, equipment affecting human life, body, and property, fuel equipment, entertainment equipment, emergency shut-off circuits, press clutches, brake circuits, safety equipment, etc., and use for applications that do not conform to standard specifications such as catalogs and operation manuals.
 - 3. Use for interlock circuits, except for use with double interlock such as installing a mechanical protection function in case of failure. Please periodically inspect the product to confirm that the product is operating properly.



Line filter Mist Separator Micro Mist Separator **Safety Instructions**

Caution

We develop, design, and manufacture our products to be used for automatic control equipment, and provide them for peaceful use in manufacturing business.

Use in non-manufacturing business is not covered.

Products we manufacture and sell cannot be used for the purpose of transactions or certification specified in the Measurement Act.

The new Measurement Act prohibits use of any unit other than SI units in Japan.

Limited warranty and Disclaimer/Compliance Requirements

The product used is subject to the following "Limited warranty and Disclaimer" and "Compliance Requirements". Read and accept them before using the product.

Limited warranty and Disclaimer

1. The warranty period of the product is 1 year in service or 1.5 years after the product is delivered, whichever is first.*2)

Also, the product may have specified durability, running distance or replacement parts. Please consult your nearest sales branch.

2. For any failure or damage reported within the warranty period which is clearly our responsibility, a replacement product or necessary parts will be provided.

This limited warranty applies only to our product independently, and not to any other damage incurred due to the failure of the product.

3. Prior to using SMC products, please read and understand the warranty terms and disclaimers noted in the specified catalog for the particular products.

*2) Vacuum pads are excluded from this 1 year warranty.

A vacuum pad is a consumable part, so it is warranted for a year after it is delivered. Also, even within the warranty period, the wear of a product due to the use of the vacuum pad or failure due to the deterioration of rubber material are not covered by the limited warranty

Compliance Requirements

- 1. The use of SMC products with production equipment for the manufacture of weapons of mass destruction (WMD) or any other weapon is strictly prohibited.
- 2. The exports of SMC products or technology from one country to another are governed by the relevant security laws and regulations of the countries involved in the transaction. Prior to the shipment of a SMC product to another country, assure that all local rules governing that export are known and followed.

A Warning

- 1) Consult SMC if no leakage is allowed due to the environment, or if the operating fluid is not air.
- 2) Polycarbonate resin is used for the external parts including the bowl. Organic solvents including thinner, acetone, alcohol and ethylene chloride; chemicals including sulphuric acid, nitric acid and hydrochloric acid; cutting oil, synthetic oils, ester-based compressor oil, alkali, kerosene, gasoline, lock material of screw are harmful. Do not use the product where these are present.

| Туре | Chemical name | Application examples | Material | | |
|---|---|---|---------------------|-------|--|
| туре | Chemical hame | Application examples | Polycarbonate | Nylon | |
| Acid Hydrochloric acid Sulphuric acid, Phosphoric acid Acetic acid Chromic acid Sodium hydroxide (Caustic soda) Potash Alkaline Calcium hydroxide (Slacked lime) Ammonia water Carbotane of soda | | Acid washing liquid for metals | Δ | × | |
| | | Degreasing of metals Industrial salts Water-soluble cutting oil | × | 0 | |
| Inorganic salts | Sodium sulphide Sulphate of potash Sulphate of soda | - | × | Δ | |
| Chlorine solvents | Carbon tetrachloride Chloroform Ethylene chloride Methylene chloride | Cleaning liquid for metals Printing ink Dilution | × | Δ | |
| Aromatic series | Benzene Toluene Paint thinner | Coatings Dry cleaning | × | Δ | |
| Ketone | Acetone Methyl ethyl ketone Cyclohexane | Photographic film, Dry cleaning, Textile industries | × | × | |
| Alcohol | Ethyl alcohol I P A Methyl alcohol | Antifreeze Adhesives | Δ | × | |
| Oil | Gasoline Kerosene | - | × | 0 | |
| Ester | Phthalic acid dim ethyl Phthalic acid diethyl | Synthetic oil Anti-rust additives | × | 0 | |
| Ether | Methyl ether Ethyl ether | Brake oil additives | × | 0 | |
| Amino | Methyl amine | Cutting oil Brake oil additives Rubber accelerator | × | × | |
| Others | Thread-lock fluid Sea water Leak tester | - | × | Δ | |
| 0 | : Essentially safe. Δ : | Some effects may occur. | x: Effects will occ | ur. | |

Note 1) When the above factors are present, or there is some doubt, use a metal bowl for safety. Note 2) The display window material is nylon.

3) Avoid the application where charge and discharge of pressure to/from a standard bowl is switched frequently. This may damage the bowl. A metal bowl is recommended in these cases.

4) Protect from ultra violet ray and radiation heat by shield.

5) If the air equipment is mounted on the outlet of the product, particles will be generated from the equipment and required cleanliness may not be obtained. Instead, install the air equipment at the inlet.

A Caution

AD27-D with auto drain may have leakage of accumulated drain during pressure exhaust (this leakage is allowed in their constructions and not considered failure). Be sure to connect piping for drain.

Selection

Narning 🔨

- 1) Grease is used on the internal sliding parts and seals. The grease may flow to the outlet side. If this is not acceptable, please consult SMC.
- 2) Select the model so that the maximum discharge value (instantaneous) of the flow rate will not exceed the rated air capacity.
- 3) N.O. type auto drain should be operated under the following conditions to avoid operating failure. Operating compressor: 0.75kW or more.

Discharged flow rate: 100 L/min (ANR) or more. When using 2 or more auto drains, multiply the value above by the number of auto drains to find the capacity of the compressors you will need. For example, when using 2 auto drains, 1.5 kW (200 L/min (ANR)) of the compressor capacity is required. The operating pressure should be 0.1 MPa or more.

4) N.C. type auto drain should be used under the following requirements to avoid operating failure. AD27: Operating pressure 0.1MPa or more.

AD37, AD47: Operating pressure 0.15MPa or more.

Mounting

/ Warning

- 1) Do not drop or apply impact during transportation or installation; It will cause damage to the product and result in operation failure.
- 2) Do not install in areas of high humidity or high temperature. Operation outside of the product specification range may cause damage to the product or operation failure, or shorten the product life.
- 3) Connect the product ensuring the direction of "1"(IN) and "2"(OUT) for air direction or an arrow. Incorrect connections may cause malfunction.
- 4) Install with adequate space for maintenance beneath the product. Refer to 13. Dimensions (page 34) for necessary space.
- 5) Install vertically so that outlet of drain is facing downward. It cannot be used in horizontal or upward direction as it may cause operation failure.
- 6) Do not hit the auto switch with a tool or allow it to receive any other impacts. Doing so may cause damage.
- 7) Do not attach or detach the auto switch equipped with the clogging switch. Otherwise, the detection accuracy of the clogging switch may be reduced. In addition, note that an auto switch with an element service indicator cannot be installed in combination.
- 8) Do not place magnetic objects near the product. Otherwise, a machine failure may result.

Piping

/!\ Warning:

- 1) Before piping, perform flushing or cleaning of the piping, etc. to remove any cutting chips, cutting oil, solid foreign matter, etc. from the piping. Contamination of piping may cause damage or malfunction.
- 2) When screwing together pipes and fittings, etc., be certain that chips from the pipe threads and sealant do not get inside the pipe. When a sealant tape is used, leave 1.5 to 2 thread ridges exposed at the end of the threads.

3) Connect piping/fittings using the recommended torque while holding the female thread side tightly. Insufficient tightening torque can cause loose piping or sealing failure. Excess tightening torque may cause damage to threads. If the female side is not held while tightening, excessive force will be applied to the bracket directly, causing breakage.

|--|

| Thread | 1/8 | 1/4 | 3/8 | 1/2 |
|--------|--------|----------|----------|----------|
| Torque | 7 to 9 | 12 to 14 | 22 to 24 | 28 to 30 |

- 4) When a one-touch fitting of SMC is used, refer to the operation manual for the one-touch fitting.
- 5) Do not apply torsion or bending moment other than the weight of the product itself. External piping needs to be supported separately as it may cause damage. Non-flexible piping like steel tube is susceptible to excessive moment load or vibration. Insert flexible tubes to prevent this.
- 6) Drain guide is not equipped with valve function. Be sure to connect piping for drain. No piping for drain allows the drain and compressed air to exhaust freely. Also, the piping should be performed with drain guide held by spanner to prevent breakage of bowl.
- 7) The piping for drain from auto drain should be connected under the following requirements to avoid operating failure.

Tubing for AD27-D: I.D. ø2.5 (ø3/32") or larger, Length 5 m (200 inch) or shorter Tubing for AD37, 47(N)-D: I.D. ø4 (ø3/16") or larger, Length 5 m (200 inch) or shorter

Tubing for AD38, 48(N)-D: I.D. ø6.5 (ø1/4") or larger, Length 5 m (200 inch) or shorter

8) Pipework for auto drain discharge which rises higher than the auto drain outlet should be avoided. It may cause the auto drain operation to fail.

Air Supply

\land Warning

- 1) Use clean air. Do not use compressed air containing chemicals, organic solvent, synthetic oil or corrosive gas as it may be cause of breakage of components or operation failure.
- 2) Air containing too much moisture may deteriorate the performance. Install the refrigerated air dryer or aftercooler before the line filter.
- 3) Make sure that the supply pressure is not below the minimum operating pressure. If it is used at the minimum operating pressure or less, pressure resistance increases, leading to the decrease of operation life or operation failure.

\land Caution

- 1) Install the air filter AF series or line filter AFF series as a pre-filter to the inlet of the AM series in order to avoid the clogging of early stage.
- 2) Install the air filter AFM series or line filter AM series as a pre-filter to the inlet of the AMD series in order to avoid the clogging of early stage.

Maintenance

🕂 Warning

- 1) Release the pressure in the product to the atmosphere when replacing parts or removing piping.
- 2) Maintenance and checks should be done by following the procedure in the operation manual. Incorrect handling of the product may cause breakage or operation failure of the equipment or device.
- 3) Do not touch the product when operating at high temperature (40 to 60°C). The operators may get burnt. Be sure to confirm that the temperature of the container or operating part is reduced to 40 degrees or less to prevent burns.
- 4) Perform periodical check to find cracks, flaws or other deterioration on resin bowl. If any of them is seen, as malfunction is caused, replace with new bowl or metal bowl. Investigate and/or review the operating conditions if necessary.

- 5) Check for dirt in resin bowl periodically. If any dirt is seen, replace with new bowl. If removing dirt by washing the resin bowl, never use washing material other than neutral detergent. Otherwise, the bowl is damaged.
- 6) Open and close drain cock by hand. The use of tools can result in damage to the product.
- 7) Replace the element before 2 years passed from start of use or pressure drop (difference between the inlet pressure and outlet pressure) reaches 0.1MPa. Or if the element is broken.
- 8) Check the bowl regularly. Discharge it before drain reaches the element. Refer to 9. Operation and Adjustment (P23 to 24) for discharging of drain. When a resin bowl or a bowl with level gauge is used, discharge the drain before the drain reaches the MAX. DRAIN LEVEL.

🕂 Caution


- 1) Check the element periodically and replace it with a new one if necessary. If it is found that outlet pressure drops or the flow is restricted, check the condition of the element.
- 2) For the N.O. type auto drain, when there is no pressure, condensate which does not operate the auto drain mechanism will remain in the bowl. It is recommended to release the residual condensate manually at the end of the working day.
- 3) For models with an element service indicator or clogging switch, as the element becomes more clogged, the indicator will display an increasing level of red. Be sure to replace the element before the level of red reaches the top of the indicator.
- 4) For the product equipped with a clogging switch, replace the element even if it has been used for 2years or less when the installed auto switch (SW) is detected.

| Symbol | No. of SW | Installation | When SW is |
|--------|-------------|--------------|------------|
| | 110. 01 300 | of SW | detected |
| -M | SW 1 | No | — |
| | SW 2 | Yes | Warning |
| N AN A | SW 1 | Yes | Caution |
| -MM | SW 2 | Yes | Warning |

Element status when auto switch is detected

Caution: Replacement is recommended because the element is clogged.

Warning: The element is clogged, which may result in the destruction of the element.



2. Application

| Series | Application |
|--------|--|
| AFF | This product aims at eliminating excess saturated water and solid foreign matter $(1\mu m)$ in the air line. |
| AM | This product aims at eliminating oil mist and solid foreign matter(0.1 μ m) in the air line. |
| AMD | This product aims at eliminating oil mist and solid foreign matter(0.01 μm) in the air line. |

3-1.Standard specifications(AFF Series)

| Model N | No. | AFF20 | AFF30 | AFF40 | |
|---------------------------------|-------------------|------------------------------|-------------------------------------|----------------|--|
| Port size | | 1/8, 1/4 | 1/4, 3/8 | 1/4, 3/8, 1/2 | |
| Fluid | | | Air | | |
| Ambient and o fluid | temperature | -5 | to 60 °C (No freezin | ıg) | |
| Proof pressure | | | 1. 5MPa | | |
| Max. operating pres | sure | | 1.0MPa | | |
| Min. operating press | sure | | 0.05MPa | | |
| Min. operating | N.C. | 0.1MPa | 0.15 | 5 MPa | |
| pressure of auto drain | N.O. | - | 0.1MPa | | |
| Nominal filtration rat | Han Note 1) | 1 µm | | | |
| Nominal filtration rat | ing the ty | (99% filtered particle size) | | | |
| Water droplet remov | al ratio Note2) | 99% | | | |
| Max. flow capacity ^N | lote 3) | 300 L/min (ANR) | 750L/min(ANR) | 1500L/min(ANR) | |
| Compressed air pur | ity class Note 4) | IS | O8573-1: 2010[4: 7: | 4] | |
| Drain capacity | | 8cm ³ | 25cm ³ 45cm ³ | | |
| Bowl material | | Polycarbonate | | | |
| Bowl guard | | Semi-standard (Steel) | Standard (Polycarbonate) | | |
| Weight | | 0. 19kg | 0. 39kg | 0. 79kg | |

Note 1) Conditions in accordance with [Test condition: ISO 8573-4:2001, Test method ISO 12500-3:2009 compliant] in addition to the conditions above.

• Flow capacity, inlet pressure, and the amount of solid bodies at the filter inlet are stable.

· New element

Note 2) Conditions in accordance with [Test condition: ISO 8573-4:2001, Test method ISO 12500-3:2009 compliant] in addition to the conditions above.

Flow capacity, inlet pressure, and the amount of solid bodies at the filter inlet are stable.

· New element

Note 3) Conditions: Inlet pressure: 0.7 MPa.

Note 4) Based on ISO8573-1:2010 Compressed air - Part1: Contaminants and purity classes. The compressed air quality class on the inlet side is [6:8:4].

3-2. Standard specifications(AM Series)

| Model | | AM20 | AM30 | AM40 | |
|---------------------------------|----------------------|--|--------------------------|-------------------|--|
| Port size | | 1/8, 1/4 | 1/4, 3/8 1/4, 3/8, 1/2 | | |
| Fluid | | | Air | | |
| Ambient and o fluid | temperature | -5 | to 60 °C (No freezing | g) | |
| Proof pressure | | | 1. 5MPa | | |
| Max. operating pres | sure | | 1.0MPa | | |
| Min. operating press | sure | | 0.05MPa | | |
| Min. operating | N.C. | 0.1MPa | 0.15 | MPa | |
| pressure of auto drain | N.O. | - | 0.1 | ЛРа | |
| Nominal filtration rat | ing Note 1) | 0.1 µm | | | |
| | ing the t | (99% filtered particle size) | | | |
| Outlet side oil mist c | concentration Note2) | Max. 1.0mg/m ³ (ANR) | | | |
| Max. flow capacity ^N | lote 3) | 300 L/min (ANR) | 750L/min(ANR) | 1500L/min(ANR) | |
| Compressed air pur | ity class Note 4) | ISO8573-1: 2010[2: 7: 3] | | | |
| Drain capacity | | 8cm ³ 25cm ³ 45cm ³ | | 45cm ³ | |
| Bowl material | | Polycarbonate | | | |
| Bowl guard | | Semi-standard (Steel) | Standard (Polycarbonato) | | |
| Weight | | 0. 19kg | 0. 39kg | 0. 79kg | |

Note 1) Conditions in accordance with [Test condition: ISO 8573-4:2001, Test method ISO 12500-3:2009 compliant] in addition to the conditions above.

• Flow capacity, inlet pressure, and the amount of solid bodies at the filter inlet are stable.

· New element

- Note 2) Conditions in accordance with [Test condition: ISO 8573-2:2007, Test method ISO 12500-1:2007 compliant] in addition to the conditions above.
 - Oil mist concentration on the filter inlet side = 10 mg/m^3
 - · Flow capacity, inlet pressure, and the oil mist concentration at the filter inlet are stable.
 - · New element
- Note 3) Conditions: Inlet pressure: 0.7 MPa.
- Note 4) Based on ISO8573-1:2010 Compressed air Part1: Contaminants and purity classes.

The compressed air quality class on the inlet side is [4:7:4].

3-3. Standard specifications(AMD Series)

| Model | • • • • • • • • • • • • • • • • • • • | AMD20 | AMD30 | AMD40 | |
|------------------------|---------------------------------------|--|-----------------------|-------------------|--|
| Port size | | 1/8, 1/4 | 1/4, 3/8 | 1/4, 3/8, 1/2 | |
| Fluid | | | Air | | |
| Ambient and o fluid | temperature | -5 | to 60 °C (No freezing | g) | |
| Proof pressure | | | 1.5MPa | | |
| Max. operating pres | sure | | 1.0MPa | | |
| Min. operating press | sure | | 0.05MPa | | |
| Min. operating | N.C. | 0.1MPa | 0.15 | MPa | |
| pressure of auto drain | N.O. | - | 0.11 | ЛРа | |
| Nominal filtration rat | ing Note 1) | 0.01 µm | | | |
| Nominal intration rat | ing ····· | (99.9% filtered particle size) | | | |
| Outlet side oil mist c | concentration Note2) | Max. 0.1mg/m ³ (ANR) | | | |
| Max. flow capacity N | lote 3) | 300 L/min (ANR) | 750L/min(ANR) | 1500L/min(ANR) | |
| Compressed air pur | ity class Note 4) | ISO8573-1: 2010[1: 7: 2] | | | |
| Drain capacity | | 8cm ³ 25cm ³ 45cm ³ | | 45cm ³ | |
| Bowl material | | Polycarbonate | | | |
| Bowl guard | | Semi-standard (Steel) Standard (Polycarbonate) | | olycarbonate) | |
| Weight | | 0. 19kg | 0. 39kg | 0. 79kg | |

Note 1) Conditions in accordance with [Test condition: ISO 8573-4:2001, Test method ISO 12500-3:2009 compliant] in addition to the conditions above.

• Flow capacity, inlet pressure, and the amount of solid bodies at the filter inlet are stable.

· New element

- Note 2) Conditions in accordance with [Test condition: ISO 8573-2:2007, Test method ISO 12500-1:2007 compliant] in addition to the conditions above.
 - · Oil mist concentration on the filter inlet side = 1 mg/m^3
 - · Flow capacity, inlet pressure, and the oil mist concentration at the filter inlet are stable.
 - · New element
- Note 3) Conditions: Inlet pressure: 0.7 MPa.
- Note 4) Based on ISO8573-1:2010 Compressed air Part1: Contaminants and purity classes.

The compressed air quality class on the inlet side is [2:7:3].

4. How to Order




| | | | | | | | | 0 | | | |
|---|---------------|-----|-----------------------------|--------|-------------------------------------|---|----------------------|----------------------|----------------------|---|---|
| | | | | Symbol | Details | | | Body size | 9 | | |
| | | | | | | | 20 | 30 | 40 | | |
| | | | | AFF | Line filter | | • | • | • | | |
| 0 | | Fil | ter type | AM | Mist Separator | | • | • | • | | |
| | | | | AMD | Micro Mist Separator | | • | • | • | | |
| | | | | Nil | Rc | | Rc | | • | • | • |
| 8 | | Thr | ead type | N | N | PT | • | • | • | | |
| | | | | F | (| 3 | • | • | • | | |
| | | | | 01 | 1 | /8 | • | - | - | | |
| • | | П | ort oizo | 02 | 1 | /4 | • | • | • | | |
| 4 | | P | ort size | 03 | 3 | /8 | - | • | • | | |
| | | | | 04 | 1 | /2 | - | - | • | | |
| | | | Mounting | Nil | Without mounting option | | • | • | • | | |
| | | а | wounting | В | With bracket | | • | • | • | | |
| | S | | | Nil | Without auto drain | | • | • | • | | |
| 6 | Options | b | Float type auto drain | С | N.C. (Normally close) | Drain port is closed when pressure is not supplied. | • | • | • | | |
| | | | | D | N.O. (Normally open) | Drain port is open when pressure is not supplied. | - | • | • | | |
| | | | | Nil | Polycarbonate bowl | •• | • | • | • | | |
| | | | | 2 | Metal bowl | | • | • | • | | |
| | | | | 6 | Nylon bowl | | • | • | • | | |
| | | С | Bowl | 8 | Metal bowl with level gauge | e | - | • | • | | |
| | | | | С | With bowl guard | | • | - | - | | |
| | | | | 6C | With bowl guard (Nylon bowl) | | • | - | - | | |
| | | | | Nil | With drain cock | | • | • | • | | |
| | P | 4 | Drain part | J | Drain guide 1/8 | | • | - | - | | |
| | nda | d | Drain port | | Drain guide 1/4 | | - | • | • | | |
| 6 | Semi-standard | | | W | With drain cock and barb fitting | | - | • | • | | |
| | emi | | | Nil | Without indicator | | • | • | • | | |
| | Ō | е | Indicator | L | With element service indicator | | • | • | • | | |
| | | Ŭ | indicator | М | With clogging switch (1 poi | nt) | • | • | • | | |
| | | | | MM | With clogging switch (2 poi | nts) | • | • | • | | |
| | | | Flow | Nil | Flow direction: left to right | | • | • | • | | |
| | | f | direction | R | Flow direction: Right to left | | • | • | • | | |
| | | | Pressure | Nil | Pressure unit: MPa | Temp. unit: °C | • | • | • | | |
| | | g | unit Temperature unit | z | Pressure unit: psi | Temp. unit: °F | _O Note 2) | _O Note 2) | _O Note 2) | | |

Note 1) Option and OSemi-standard: Select one each for a to g.

Note 2) O: For NPT thread type only.

5. Construction / Options / Replacement parts



Replacement parts

| Component Parts descript | | scription | C | Component numbe | r |
|--------------------------|------------------------------------|-----------|--|-----------------|--------------|
| 110. | | | 20 | 30 | 40 |
| | | AFF | AFF24P-060AS | AFF34P-060AS | AFF44P-060AS |
| 1 | 1 Element | AM | AM24P-060AS | AM34P-060AS | AM44P-060AS |
| | | AMD | AMD24P060AS | AMD34P060AS | AMD44P060AS |
| 2 | Bowl seal | | C2SFP-260S | C32FP-260S | C42FP-260S |
| 3 | | | 02011-2000 | 03211-2000 | 04211-2000 |
| | Bowl assembly Auto drain (N.C.) | | | . | |
| 4 | | | Refer to [6.Bowl assembly specifications] (P13 to P20). | | |
| | Auto drain (N.O.) | | | | |

Note 1) The numbers in the table and construction are consistent with the number in [11. Replacement work procedure] (P26-32) and 12. Disassembly Drawing](P33).

Options

| Component number | Parts description | C | Component numbe | r |
|---------------------|--------------------------|-------------|-----------------|-------------|
| number | | 20 | 30 | 40 |
| 5 | Bracket assembly Note 2) | AF24P-070AS | AF34P-070AS | AF44P-070AS |

Note 2) Refer to the 7. Assembly of Optional parts (P21) for mounting the bracket assembly. Note 3) Assembly of the mounting bracket (2 types) and set screw (2 pcs.)

6. Bowl assembly specifications

1) AFF,AM,AMD20 Bowl assembly / auto drain

| Option symbol | - | | - | |
|--------------------------------------|--|----|---|-----|
| Semi-standard symbol | - | 6 | С | 6C |
| Appearance and part No. | Semi-standard: "-" (Standard) Port thread type Rc C2SF-D G NPT C2SF(-Z)-D Semi-standard: "6" (Standard) Port thread type Rc C2SF-6-A G NPT C2SF-6-A NPT C2SF-6(Z)-A | | Semi-standard: "C" (Standard) Port thread type Rc C2SF-C-D NPT C2SF-C(Z)-D Semi-standard: "6C" (Standard) Port thread type Rc C2SF-C(Z)-D Semi-standard: "6C" (Standard) Port thread type Rc C2SF-(6)C-A NPT C2SF-6C(Z)-A | |
| Option symbol | - | | | |
| Semi-standard symbol | J | 6J | CJ | 6CJ |
| Appearance and part No. | Semi-standard: "J" (Standard) Port thread type Rc C2SF-J-D G NPT C2SFN-J(Z)-D Semi-standard: "6J" (Standard) Port thread type Rc C2SF-6J-A G NPT C2SFN-6J(Z)-A | | Semi-standard: "CJ" (Standard) Port thread type Rc C2SF-CJ-D G NPT C2SFN-CJ(Z)-D Semi-standard: "6CJ" (Standard) Port thread type Rc C2SF-6CJ-A G NPT C2SFN-6CJ(Z)-A | |
| Option symbol Semi-standard | - 2 | | 2J | |
| symbol Appearance and part No. | Semi-standard: "2" (Standard) Port thread type Rc G C2SF-2-A NPT C2SF-2(Z)-A | | Semi-standard: "2J" (Standard) Port thread ④ Part No. type Rc C2SF-2J-A G C2SFN-2J(Z)-A | |


| Option symbol | C No | ote 1) | C Note 1) | | | | |
|----------------------------|---|--------|--|----|--|--|--|
| Semi-standard symbol | - | 6 | С | 6C | | | |
| Appearance and part No. | Semi-standard: "-" (Standard) Port thread Q Part No. type Rc AD27-D G NPT AD27(-Z)-D Semi-standard: "6C" (Standard) Port thread Q Part No. type Rc AD27-C-A AD27-C-A NPT AD27-C-A NPT AD27-C-A | | Semi-standard: "C" (Standard) Port thread AD27-C-D G AD27-C-D Semi-standard: "6C" (Standard) Port thread type Rc AD27-C(Z)-D Semi-standard: "6C" (Standard) Port thread AD27-CC-D AD27-C(Z)-D Semi-standard: "6C" (Standard) Port thread AD27-C(Z)-D AD27-C(Z)-D Semi-standard: "6C" (Standard) Port thread AD27-C(Z)-D AD27-C(Z)-D AD27-C(Z)-D Semi-standard: "6C" (Standard) Port AD27-C(Z)-D AD27-C(Z)-D AD27-C(Z)-D (Standard) Port AD27-C(Z)-D AD27-C(Z)-D (Standard) AD27-C(Z)-D (Standard) Port AD27-C(Z)-D AD27-C(Z)-D (Standard) AD27-C(Z)-D (Standard) Port AD27-C(Z)-D (Standard) Port AD27-C(Z)-D (Standard) AD27-C(Z)-D (Standard) AD27-C(Z)-D (Standard) AD27-C(Z)-D (Standard) AD27-C(Z)-D (Standard) AD27-C(Z)-D (Standard) AD27-C(Z)-D (Standard) AD27-C(Z)-D (Standard) AD27-C(Z)-D (Standard) AD27-C(Z)-D (Standard) AD27-C(Z)-D (Standard) AD27-C(Z)-A (Standard) AD27-C(Z)-A (Standard) AD27-C(Z)-A (Standard) (Stand | | | | |
| Option symbol | C No | ote 1) | | | | | |
| Semi-standard symbol | 2 | 2 | | | | | |
| Appearance and part No. | Semi-standard: "2" (Standard) Port thread type Rc AD27-2-A G NPT AD27-2(Z)-A | | | | | | |


Note 1) Minimum operating pressure is 0.1 MPa.


Note 2) Part No. ④ includes Bowl seal ③. Refer to [12. Disassembly Drawing](P33).

Note 3) "Z" in Part No. ④ indicates standard specifications. The pressure unit: psi. The temperature unit: °F. Note 4) Refer to [4. How to Order] (P11) for option and semi-standard symbols.

2) AFF,AM,AMD30 bowl assembly / auto drain









Note 1) Minimum operating pressure is 0.1 MPa.


Note 2) Part No. ④ includes Bowl seal ③. Refer to [12. Disassembly Drawing](P33).

Note 3) "Z" in Part No. ④ indicates standard specifications. The pressure unit: psi. The temperature unit: °F. Note 4) Refer to [4. How to Order] (P11) for option and semi-standard symbols.

3) AFF,AM,AMD40 bowl assembly / auto drain








Note 1) Minimum operating pressure is 0.1 MPa.

Note 2) Part No. ④ includes Bowl seal ③. Refer to [12. Disassembly Drawing](P33).


Note 3) "Z" in Part No. ④ indicates standard specifications. The pressure unit: psi. The temperature unit: °F. Note 4) Refer to [4. How to Order] (P11) for option and semi-standard symbols.

7. Assembly of Optional parts

1) Bracket



Bracket B



2) Mounting of bracket B Fix the bracket B with the set screw (2pcs.)

included in the package. Refer to the table below for the tightening torque.

| Model No. | Tools | Tightening torque | | |
|--------------|----------------------------|--------------------|--|--|
| AFF,AM,AMD20 | 0 | | | |
| AFF,AM,AMD30 | Phillips screwdriver(+) | 0. 75+/-0. 2 N ∙ m | | |
| AFF,AM,AMD40 | Sciewanien(*) | | | |

8. Auto Switch Specifications


| Auto switch model | | | D-A93VL | | | | |
|----------------------------|---------------------------|----------------------|------------------------|-----------------|--|--|--|
| | Applicable le | oad | Relay, F | PLC | | | |
| | Load voltage | e | 24 VDC | 100 VAC | | | |
| | Load curren current *2 | t range and Max load | 5 to 40 mA *3 | 5 to 20 mA | | | |
| | Internal circ | uit | *1 | | | | |
| | Contact pro | tection circuit | None | Э | | | |
| | Internal volt | age drop | 2.7 V or | less | | | |
| | Indicator lig | nt | Red LED illuminates | when turned ON. | | | |
| Auto switch specifications | Standard | | CE/UKCA r | marking | | | |
| Auto switch specifications | Leakage cu | rrent | None | | | | |
| | Operating ti | me | 1.2 ms | | | | |
| | Impact resis | tance | 300 m | /s² | | | |
| | Insulation re | esistance | 50 MΩ or more at 5 | 500 VDC Mega | | | |
| | Withstand v | oltage | 1000 VAC f | or 1 min | | | |
| | Lead wire le | ngth | 3 m | | | | |
| | Weight | | 30 g | l | | | |
| | Ambient ten | nperature | –10 to 60°C | | | | |
| | Enclosure | | IEC60529 standard IP67 | | | | |
| | Sheath | Outside diameter | φ2.7 m | าท | | | |
| | Insulator | Number of cores | 2 cores (Brown, Blue) | | | | |
| Oilproof heavy-duty lead | Insulator | Outside diameter | φ0.96 mm | | | | |
| wire specifications | Conductor | Effective area | 0.18 m | m ² | | | |
| | Conductor | Strand diameter | φ0.08 mm | | | | |
| | Lead wire m | in bending radius | 17 mm | | | | |

*1 Refer to the following circuit diagram for the internal circuit.

*2 Under 5 mA, the strength of the indicator light is poor. In some cases, visibility of the indicator light will not be possible when the output signal is less than 2.5 mA. However, there is no problem in terms of contact output when the output signal exceeds 1 mA.

*3 When using at 12 VDC, the auto switch operates normally, but the load may not operate depending on the specifications of the load. For details, refer to the description of the internal voltage drop of the auto switch in the Reed Auto Switch/Common Precautions section in the Web Catalog.

2-wire (Reed switch)




9. Operation and Adjustment

- 1) Discharging the product with drain cock
 - Pressurize the inside of the air filter when discharging drain. Drain will not be discharged properly if not pressurized.
 - Drain discharge mechanism is different depending on the bowl assembly. Check the bowl assembly and discharge the drain following the method below.

Rotation type: After discharging the drain, tighten the drain cock to the opposite direction by hand until the seal inside seals correctly.


Use of a tool can damage the product.




- 2) Manual drain discharge of the auto drain
 - Pressurize the inside of the air filter when discharging drain. Drain will not be discharged properly if not pressurized.
 - To discharge the auto drain manually, follow the procedure below. After discharging the drain, rotate the cock to the opposite direction by hand to close the drain valve. Use of a tool can damage the product.

AFF,AM,AMD20: Auto drain

AFF,AM,AMD30 / AFF,AM,AMD40: Auto drain





10. Troubleshooting

Refer to [11. Replacement work procedure](P26 to 32) and [12. Disassembly Drawing](P33).

| Problem | | | Page for |
|-------------|--|--|-------------------------------------|
| Category | Failure | Possible causes Countermeasure | reference |
| Flow rate | As pressure drop is large, fluid does not flow. | 1. Clog of the element. Replace the element. | P26 to 27 P29 to 30 |
| | Air leaks between the body and joint. | 1. Breakage of joint seal. Replace the bowl seal. | P26 to 27 P29 to 30 |
| | Air leaks between the joint and the bowl. | 1. Breakage of the bowl seal. Replace the bowl seal. | P28 P31 to 32 |
| | Air leakage from the bowl. | 1. Bowl is damaged. (If the solvent is considered to be harmful, replacement to the metal bowl is recommended) | P28 P31 to 32 |
| | Air leakage from the drain cock. | 1.Foreign matter caught in the valve of the drain cock.Open the drain cock for a few seconds for blowing. | P23 to 24 |
| | | 2. Seating part of the drain cock is damaged. Replace the bowl assembly. | P28 P31 to 32 |
| Air leakage | Drainage or air continues blowing out of the drain discharge of the | 1. Low supply pressure Check the minimum operating pressure of the auto drain. | P13 to 20 |
| | float type auto drain. | 2. The product is not mounted Install the drain exhaust so that it will face vertically downward. | - |
| | | 3. Foreign matter is caught at the main valve of the auto drain. Remove the dust by manual drain discharge. | P23 to 24 |
| | | 4. Main valve of the auto drain is broken. Replace the bowl assembly. | P28 P31 to 32 |
| | | 5. Drain piping is long, or I.D. of the piping is small. (Back pressure is applied.) Be sure to connect the appropriate piping for drain. | P5 to 6 |
| | | 6. Drain exhaust and bowl seat are broken. Replace the bowl assembly. | P28 P31 to 32 |
| Operability | Drain is not discharging when the drain cock opens. | 1. Blockage of outlet of the drain cock due to solid foreign matter etc. Replace the bowl assembly. | P28 P31 to 32 |
| | Too much drain comes from the piping of outlet side. | 1. Drain level reaches the bottom of the element. Open the drain cock for draining an replace the element. | P23 to 24 P26 to 27 P29 to 30 |


Note) Fluorine grease is recommended when applying additional grease.

11. How to Replace the Components


🕂 Warning

Before replacement, make sure that no pressure remains in the equipment. After replacement, confirm that the product satisfies specific functions and no external leakage occurs before operating it.


1.1) Element disassembly [AFF,AM,AMD20]




1.2) Element assembly [AFF,AM,AMD20]




Step 3



Step 1




If the bowl assembly is tightened too much to be removed, use a hook spanner until it can be loosened by hand.




2.2) Bowl assembly [AFF20]


Step 2



3.1) Element disassembly [AFF,AM,AMD30 / AFF,AM,AMD40]




3.2) Element assembly - assembly [AFF,AM,AMD30 / AFF,AM,AMD40]



Step 3


While the lock button is held down, mount the body and joint where their marks meet. Rotate the joint until the lock button meets the body groove (approx. 30 degrees).




-30-

4.1) Bowl disassembly [AFF,AM,AMD30 / AFF,AM,AMD40]


Step 1




4.2) Bowl assembly [AFF,AM,AMD30 / AFF,AM,AMD40]



12. Disassembly Drawing



13. Dimensions



| Model No. | | | Standa | ard specifi | cations | | | | Bracket mount | | | | | | | Indicator mount | Switch mount | |
|--------------|-----------------|----|--------|-------------|---------|-------|----|-------|---------------|----|----|-----|-------|----|-----|--------------------|-----------------|------|
| model No. | Р | Α | в | С | D | Е | G | J | м | N | q | R | s | т | U | v | w | x |
| AFF,AM,AMD20 | 1/8, 1/4 | 40 | 142. 3 | 17.5 | 21 | - | 25 | 21 | 30 | 27 | 22 | 5.4 | 8.4 | 60 | 2.3 | 28 | 50.6 | 56.6 |
| AFF,AM,AMD30 | 1/4, 3/8 | 53 | 178. 1 | 21. 5 | 26. 5 | 30 | 35 | 26.5 | 41 | 35 | 25 | 6.5 | 13 | 71 | 2.3 | 32 | 54.3 | 60.3 |
| AFF,AM,AMD40 | 1/4 · 3/8 · 1/2 | 70 | 223. 5 | 25. 5 | 35. 5 | 38. 4 | 40 | 35. 5 | 50 | 52 | 30 | 8.5 | 12. 5 | 88 | 2.3 | 39 | 58.3 | 64.3 |

Auto drain / semi-standard bowl

| Model No. | | drain Auto | | Semi-standard specifications | | | | | | |
|--------------|------------------|-------------|-----------------|------------------------------|---------------------|-----------------|---------------------|-----------------------------|---------------------|--|
| | | Madal based | Metal bowl with | PC/P/ | A bowl | Meta | l bowl | Metal bowl with level gauge | | |
| | PC/PA bowl Metal | Metal bowl | level gauge | Barb fitting. | With drain guide | With drain cock | With drain guide | With drain cock | With drain guide | |
| | В | В | В | В | В | В | В | В | В | |
| AFF,AM,AMD20 | 159. 6 | 159. 4 | - | - | 146. 1 | 142. 1 | 148. 6 | - | - | |
| AFF,AM,AMD30 | 219. 8 | 219. 8 | 219. 8 | 186. 6 | 184. 9 | 180. 6 | 185. 1 | 200. 6 | 205. 1 | |
| AFF,AM,AMD40 | 263.3 | 265.1 | 265.1 | 232 | 230. 3 | 225. 9 | 230. 4 | 245. 9 | 250. 4 | |

Revision history

Revision A: September 2020 Addition of the Series 20 and 40 Revision B: August 2021 Addition of the element service indicator. Revision C: September 2023 AFF,AM,AMD Series Integration

SMC Corporation

4-14-1, Sotokanda, Chiyoda-ku, Tokyo 101-0021 JAPAN Tel: + 81 3 5207 8249 Fax: +81 3 5298 5362 URL <u>https://www.smcworld.com</u>

Note: Specifications are subject to change without prior notice and any obligation on the part of the manufacturer. © SMC Corporation All Rights Reserved